TEC	HNICAL DOCUMENTATION	(1)	
ROOM AIR CONDITIONER INDOOR MODEL OUTDOOR MODEL	MSZ-HJ60VA MUZ-HJ60VA	305H923W250D (mm) 880H840W330D (mm)	
Function			
cooling		Υ Υ	-
healing	-	Y	
The heating season			.
Average (mandalory)	-	Y	<u>-</u>
Warmer (if designated)	- Y		
Colder (if designated)	N		
Capacity control			
fixed		N	
slaged		N N	
variable		Ÿ	
item	symbol	value	unit
Seasonal efficiency (2)	бушьог	<u> </u>	
cooling	SEER	6.0	T -
heating/Average	SCOP/A	4.1	
healing/Warmer	SCOP/W	5.1	-
heating/Colder	SCOP/C	х	-
Energy efficiency class			
cooling	SEER	A+	T -
heating/Average	SCOP/A	A÷	
heating/Warmer	SCOP/W	A+++	
heating/Colder	SCOP/C	x	-
OUL. II		•	
Other Items Sound power level (Indoor/outdoor)	li sara	95105	15/1)
Sound power level (Indoor/outdoor) Refrigerant	LWA	65/65	dB(A)
Reingerant Global warming potential	GWP	R410A 1975	kgCO₂eq.
		1979	rgoogeq.
dentification and signature of the person empowered to bind the supplier Tomoyuki Miwa Department Manager, Quality Assurance Department MITSURISHIES FORCE COM-	nt YSUMER PRODUCTS (THAILAND) O		

(1) This Information is based on COMMISSION DELEGATED REGULATION (EU)No626/2011.

(2) SEER/SCOP values are measured based on FprEN 14825;2011; Testing and rating at part load conditions and calculation of seasonal performance