TECHN	NICAL DOCUMENTATION ((1)		
INDOOR MODEL	MFZ-KJ35VE 600H750W215D (mm)			
ROOM AIR CONDITIONER OUTDOOR MODEL	MUFZ-KJ35VE	550H800W285D (mm)		
Function				
cooling	Υ			
heating	Y			
The besting aggree				
The heating season Average (mandatory)		Y		
Warmer (if designated)	N N			
Colder (if designated)	N			
Colder (ii designated)			-	
Capacity control				
fixed		N		
staged	N N			
variable	Y			
Item	symbol	value	unit	
Seasonal efficiency (2)				
cooling	SEER	8.1		
heating/Average	- SCOP/A	4.4		
heating/Warmer	SCOP/W	X		
heating/Colder	SCOP/C	X		
Energy efficiency class				
cooling	SEER	A++		
heating/Average	SCOP/A	A+		
heating/Warmer	SCOP/W	x		
heating/Colder	SCOP/C	X		
Other items Sound power level (indoor/outdoor)	LWA	50/60	T dD(A)	
Refrigerant	LVVA	R410A	dB(A)	
Global warming potential	GWP	1975	kaCO oa	
Global warming potential	GWF	1975	kgCO₂eq.	
identification and signature of the person empowered to bind the supplier Akira Hidaka Manager, Room Air Conditioners Quality MITSUBISHI ELECTRIC COF	Control Section RPORATION SHIZUOKA WORKS	la_		

⁽¹⁾ This information is based on COMMISSION DELEGATED REGULATION (EU)No626/2011.

⁽²⁾ SEER/SCOP values are measured based on FprEN 14825:2011: Testing and rating at part load conditions and calculation of seasonal performance