

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	power consumption(kW)		220	230	240	
15	1.50	-	-	-	1.50 1.50	0.460 0.460	2.11	2.02	1.94	99
18	1.80	-	-	-	1.80 1.80	0.460 0.460	2.11	2.02	1.94	99
20	2.00	-	-	-	2.00 1.60	0.520 0.460	2.39	2.28	2.19	99
22	2.20	-	-	-	2.20 1.60	0.520 0.460	2.39	2.28	2.19	99
25	2.50	-	-	-	2.50 1.80	0.810 0.520	3.72	3.56	3.41	99
35	3.50	-	-	-	3.50 1.80	0.810 0.520	3.72	3.56	3.41	99
42	4.20	-	-	-	4.20 1.80	1.030 0.520	4.73	4.52	4.34	99
50	5.00	-	-	-	5.00 1.80	1.350 0.520	6.20	5.93	5.68	99
60	6.00	-	-	-	6.00 1.90	1.730 0.450	7.94	7.60	7.28	99
15+15	1.50	1.50	-	-	3.00 2.00	0.766 0.540	3.52	3.37	3.23	99
15+18	1.50	1.80	-	-	3.30 2.00	0.816 0.620	3.75	3.58	3.43	99
15+20	1.50	2.00	-	-	3.50 2.00	0.858 0.700	3.94	3.77	3.61	99
15+22	1.50	2.20	-	-	3.70 2.00	0.901 0.660	4.14	3.96	3.79	99
15+25	1.50	2.50	-	-	4.00 2.00	1.096 0.780	5.03	4.81	4.61	99
15+35	1.50	3.50	-	-	5.00 2.00	1.426 0.620	6.55	6.26	6.00	99
15+42	1.50	4.20	-	-	5.70 2.00	1.640 0.620	7.53	7.20	6.90	99
15+50	1.50	5.00	-	-	6.50 2.00	2.002 0.630	9.19	8.79	8.43	99
15+60	1.36	5.44	-	-	6.80 2.00	2.165 0.640	9.94	9.51	9.11	99
18+18	1.80	1.80	-	-	3.60 2.00	0.807 0.540	3.71	3.54	3.40	99
18+20	1.80	2.00	-	-	3.80 2.00	0.966 0.700	4.44	4.24	4.07	99
18+22	1.80	2.20	-	-	4.00 2.00	1.067 0.700	4.90	4.69	4.49	99
18+25	1.80	2.50	-	-	4.30 2.00	1.142 0.580	5.24	5.01	4.81	99
18+35	1.80	3.50	-	-	5.30 2.00	1.489 0.540	6.84	6.54	6.27	99
18+42	1.80	4.20	-	-	6.00 2.00	1.702 0.540	7.82	7.48	7.16	99
18+50	1.80	5.00	-	-	6.80 2.00	2.136 0.550	9.81	9.38	8.99	99
18+60	1.57	5.23	-	-	6.80 2.00	2.136 0.560	9.81	9.38	8.99	99
20+20	2.00	2.00	-	-	4.00 2.00	1.067 0.700	4.90	4.69	4.49	99
20+22	2.00	2.20	-	-	4.20 2.00	1.146 0.700	5.26	5.03	4.82	99
20+25	2.00	2.50	-	-	4.50 2.00	1.234 0.620	5.67	5.42	5.19	99
20+35	2.00	3.50	-	-	5.50 2.00	1.579 0.620	7.25	6.94	6.65	99
20+42	2.00	4.20	-	-	6.20 2.00	1.840 0.620	8.45	8.08	7.74	99
20+50	1.94	4.86	-	-	6.80 2.00	2.165 0.630	9.94	9.51	9.11	99
22+22	2.20	2.20	-	-	4.40 2.00	1.166 0.540	5.35	5.12	4.91	99
22+25	2.20	2.50	-	-	4.70 2.00	1.281 0.540	5.88	5.63	5.39	99
22+35	2.20	3.50	-	-	5.70 2.00	1.611 0.540	7.40	7.08	6.78	99
22+42	2.20	4.20	-	-	6.40 2.00	1.920 0.540	8.81	8.43	8.08	99
22+50	2.08	4.72	-	-	6.80 2.00	2.136 0.560	9.81	9.38	8.99	99
22+60	1.82	4.98	-	-	6.80 2.00	2.136 0.560	9.81	9.38	8.99	99
25+25	2.50	2.50	-	-	5.00 2.00	1.397 0.540	6.41	6.13	5.88	99
25+35	2.50	3.50	-	-	6.00 2.00	1.702 0.540	7.82	7.48	7.16	99
25+42	2.50	4.20	-	-	6.70 2.00	2.082 0.540	9.56	9.14	8.76	99
25+50	2.27	4.53	-	-	6.80 2.00	2.136 0.550	9.81	9.38	8.99	99
25+60	2.00	4.80	-	-	6.80 2.00	2.128 0.560	9.77	9.35	8.96	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
35+35	3.40	3.40	-	-	6.80 2.00 - 6.90	1.920 0.540 - 2.655	8.81	8.43	8.08	99
35+42	3.09	3.71	-	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99
35+50	2.80	4.00	-	-	6.80 2.00 - 7.10	2.128 0.550 - 2.820	9.77	9.35	8.96	99
35+60	2.51	4.29	-	-	6.80 2.10 - 7.10	2.055 0.570 - 2.830	9.44	9.03	8.65	99
42+42	3.40	3.40	-	-	6.80 2.00 - 7.10	2.136 0.540 - 2.830	9.81	9.38	8.99	99
42+50	3.10	3.70	-	-	6.80 2.10 - 7.10	2.078 0.560 - 2.835	9.54	9.12	8.74	99
42+60	2.80	4.00	-	-	6.80 2.10 - 7.10	2.002 0.580 - 2.845	9.19	8.79	8.43	99
50+50	3.40	3.40	-	-	6.80 2.10 - 7.10	2.019 0.560 - 2.860	9.27	8.87	8.50	99
50+60	3.09	3.71	-	-	6.80 2.10 - 7.10	1.937 0.600 - 2.860	8.89	8.51	8.15	99
60+60	3.40	3.40	-	-	6.80 2.10 - 7.10	1.855 0.580 - 2.920	8.52	8.15	7.81	99
15+15+15	1.50	1.50	1.50	-	4.50 2.90 - 7.30	0.941 0.780 - 2.310	4.32	4.13	3.96	99
15+15+18	1.50	1.50	1.80	-	4.80 2.90 - 7.60	1.141 0.800 - 2.210	5.24	5.01	4.80	99
15+15+20	1.50	1.50	2.00	-	5.00 2.90 - 7.70	1.261 0.810 - 2.130	5.79	5.54	5.31	99
15+15+22	1.50	1.50	2.20	-	5.20 2.90 - 7.90	1.304 0.750 - 1.970	5.99	5.73	5.49	99
15+15+25	1.50	1.50	2.50	-	5.50 2.90 - 8.10	1.431 0.750 - 2.205	6.57	6.28	6.02	99
15+15+35	1.50	1.50	3.50	-	6.50 2.90 - 8.10	1.586 0.750 - 3.140	7.28	6.97	6.67	99
15+15+42	1.50	1.50	4.20 *	-	7.20 2.90 - 8.10	1.586 0.750 - 3.140	7.28	6.97	6.67	99
15+15+60	1.33	1.33	5.33	-	8.00 2.90 - 8.50	1.878 0.730 - 2.535	8.62	8.25	7.90	99
15+18+18	1.50	1.80	1.80	-	5.10 2.90 - 7.80	1.224 0.740 - 1.990	5.62	5.38	5.15	99
15+18+20	1.50	1.80	2.00	-	5.30 2.90 - 8.00	1.344 0.740 - 1.910	6.17	5.90	5.66	99
15+18+22	1.50	1.80	2.20	-	5.50 2.90 - 8.10	1.392 0.720 - 2.165	6.39	6.11	5.86	99
15+18+25	1.50	1.80	2.50	-	5.80 2.90 - 8.10	1.529 0.770 - 3.230	7.02	6.71	6.43	99
15+18+35	1.50	1.80	3.50	-	6.80 2.90 - 8.20	1.646 0.700 - 2.790	7.56	7.23	6.93	99
15+18+42	1.50	1.80	4.20 *	-	7.50 2.90 - 8.50	1.898 0.700 - 2.530	8.72	8.34	7.99	99
15+18+50	1.45	1.73	4.82 *	-	8.00 2.90 - 8.50	1.913 0.700 - 2.510	8.79	8.40	8.05	99
15+18+60	1.29	1.55	5.16	-	8.00 2.90 - 8.50	1.819 0.700 - 2.490	8.35	7.99	7.66	99
15+20+20	1.50	2.00	2.00	-	5.50 2.90 - 8.10	1.470 0.780 - 2.245	6.75	6.45	6.18	99
15+20+22	1.50	2.00	2.20	-	5.70 2.90 - 8.10	1.522 0.780 - 2.915	6.99	6.68	6.41	99
15+20+25	1.50	2.00	2.50	-	6.00 2.90 - 8.10	1.659 0.830 - 3.980	7.62	7.28	6.98	99
15+20+35	1.50	2.00	3.50	-	7.00 2.90 - 8.30	1.797 0.740 - 2.690	8.25	7.89	7.56	99
15+20+42	1.50	2.00	4.20 *	-	7.70 2.90 - 8.50	1.955 0.730 - 2.570	8.98	8.59	8.23	99
15+20+50	1.41	1.88	4.71 *	-	8.00 2.90 - 8.50	1.939 0.730 - 2.550	8.90	8.51	8.16	99
15+20+60	1.26	1.68	5.05	-	8.00 2.90 - 8.50	1.846 0.730 - 2.530	8.47	8.11	7.77	99
15+22+22	1.50	2.20	2.20	-	5.90 2.90 - 8.10	1.574 0.780 - 3.585	7.23	6.91	6.63	99
15+22+25	1.50	2.20	2.50	-	6.20 2.90 - 8.10	1.591 0.770 - 3.605	7.30	6.99	6.70	99
15+22+35	1.50	2.20	3.50	-	7.20 2.90 - 8.30	1.591 0.770 - 3.605	7.30	6.99	6.70	99
15+22+42	1.50	2.20	4.20 *	-	7.90 2.90 - 8.50	1.933 0.700 - 2.525	8.88	8.49	8.14	99
15+22+50	1.38	2.02	4.60 *	-	8.00 2.90 - 8.50	1.887 0.700 - 2.510	8.66	8.29	7.94	99
15+22+60	1.24	1.81	4.95	-	8.00 2.90 - 8.50	1.793 0.700 - 2.490	8.23	7.87	7.55	99
15+25+25	1.50	2.50	2.50	-	6.50 2.90 - 8.10	1.547 0.720 - 3.100	7.10	6.79	6.51	99
15+25+35	1.50	2.50	3.50	-	7.50 2.90 - 8.50	1.918 0.700 - 2.540	8.81	8.42	8.07	99
15+25+42	1.46	2.44	4.10 *	-	8.00 2.90 - 8.50	1.929 0.700 - 2.525	8.86	8.47	8.12	99
15+25+50	1.33	2.22	4.44 *	-	8.00 2.90 - 8.50	1.868 0.700 - 2.505	8.58	8.20	7.86	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		power consumption(kW)		220	230	240	
15+25+60	1.20	2.00	4.80	-	8.00 2.90 - 8.50	1.774 0.700 - 2.485		8.14	7.79	7.47	99
15+35+35	1.41	3.29	3.29	-	8.00 2.90 - 8.50	1.929 0.700 - 2.530		8.86	8.47	8.12	99
15+35+42	1.30	3.04	3.65 *	-	8.00 2.90 - 8.50	1.865 0.700 - 2.515		8.56	8.19	7.85	99
15+35+50	1.20	2.80	4.00 *	-	8.00 2.90 - 8.50	1.803 0.700 - 2.495		8.28	7.92	7.59	99
15+35+60	1.09	2.55	4.36	-	8.00 2.90 - 8.50	1.742 0.700 - 2.480		8.00	7.65	7.33	99
15+42+42	1.21	3.39 *	3.39 *	-	8.00 2.90 - 8.50	1.800 0.700 - 2.495		8.26	7.90	7.58	99
15+42+50	1.12	3.14 *	3.74 *	-	8.00 2.90 - 8.50	1.751 0.700 - 2.480		8.04	7.69	7.37	99
15+42+60	1.03	2.87 *	4.10	-	8.00 2.90 - 8.50	1.722 0.700 - 2.470		7.91	7.56	7.25	99
15+50+50	1.04	3.48 *	3.48 *	-	8.00 2.90 - 8.50	1.742 0.700 - 2.470		8.00	7.65	7.33	99
15+50+60	0.96	3.20 *	3.84	-	8.00 2.90 - 8.50	1.713 0.700 - 2.460		7.86	7.52	7.21	99
18+18+18	1.80	1.80	1.80	-	5.40 2.90 - 8.10	1.308 0.670 - 1.770		6.00	5.74	5.50	99
18+18+20	1.80	1.80	2.00	-	5.60 2.90 - 8.10	1.438 0.730 - 2.520		6.60	6.31	6.05	99
18+18+22	1.80	1.80	2.20	-	5.80 2.90 - 8.10	1.490 0.740 - 3.190		6.84	6.54	6.27	99
18+18+25	1.80	1.80	2.50	-	6.10 2.90 - 8.10	1.567 0.750 - 3.730		7.19	6.88	6.59	99
18+18+35	1.80	1.80	3.50	-	7.10 2.90 - 8.40	1.777 0.680 - 2.540		8.16	7.80	7.48	99
18+18+42	1.80	1.80	4.20 *	-	7.80 2.90 - 8.50	1.886 0.670 - 2.485		8.66	8.28	7.94	99
18+18+50	1.67	1.67	4.65 *	-	8.00 2.90 - 8.50	1.855 0.670 - 2.470		8.52	8.15	7.81	99
18+18+60	1.50	1.50	5.00	-	8.00 2.90 - 8.50	1.761 0.670 - 2.450		8.09	7.73	7.41	99
18+20+20	1.80	2.00	2.00	-	5.80 2.90 - 8.10	1.568 0.800 - 3.270		7.20	6.88	6.60	99
18+20+22	1.80	2.00	2.20	-	6.00 2.90 - 8.10	1.620 0.800 - 3.940		7.44	7.11	6.82	99
18+20+25	1.80	2.00	2.50	-	6.30 2.90 - 8.10	1.576 0.750 - 3.435		7.24	6.92	6.63	99
18+20+35	1.80	2.00	3.50	-	7.30 2.90 - 8.40	1.887 0.710 - 2.520		8.67	8.29	7.94	99
18+20+50	1.64	1.82	4.55 *	-	8.00 2.90 - 8.50	1.880 0.700 - 2.505		8.63	8.26	7.91	99
18+20+60	1.47	1.63	4.90	-	8.00 2.90 - 8.50	1.787 0.700 - 2.485		8.21	7.85	7.52	99
18+22+22	1.80	2.20	2.20	-	6.20 2.90 - 8.10	1.552 0.740 - 3.565		7.13	6.82	6.53	99
18+22+25	1.80	2.20	2.50	-	6.50 2.90 - 8.10	1.508 0.690 - 3.060		6.93	6.62	6.35	99
18+22+35	1.80	2.20	3.50	-	7.50 2.90 - 8.50	1.879 0.670 - 2.500		8.63	8.25	7.91	99
18+22+42	1.76	2.15	4.10 *	-	8.00 2.90 - 8.50	1.890 0.670 - 2.485		8.68	8.30	7.96	99
18+22+50	1.60	1.96	4.44 *	-	8.00 2.90 - 8.50	1.829 0.670 - 2.465		8.40	8.03	7.70	99
18+22+60	1.44	1.76	4.80	-	8.00 2.90 - 8.50	1.735 0.670 - 2.445		7.97	7.62	7.30	99
18+25+25	1.80	2.50	2.50	-	6.80 2.90 - 8.20	1.607 0.670 - 2.750		7.38	7.06	6.76	99
18+25+35	1.80	2.50	3.50	-	7.80 2.90 - 8.50	1.905 0.670 - 2.495		8.75	8.37	8.02	99
18+25+42	1.69	2.35	3.95 *	-	8.00 2.90 - 8.50	1.871 0.670 - 2.480		8.59	8.22	7.87	99
18+25+50	1.55	2.15	4.30 *	-	8.00 2.90 - 8.50	1.810 0.670 - 2.460		8.31	7.95	7.62	99
18+25+60	1.40	1.94	4.66	-	8.00 2.90 - 8.50	1.716 0.670 - 2.440		7.88	7.53	7.22	99
18+35+35	1.64	3.18	3.18	-	8.00 2.90 - 8.50	1.871 0.670 - 2.485		8.59	8.22	7.87	99
18+35+42	1.52	2.95	3.54 *	-	8.00 2.90 - 8.50	1.807 0.670 - 2.470		8.30	7.93	7.60	99
18+35+50	1.40	2.72	3.88 *	-	8.00 2.90 - 8.50	1.745 0.670 - 2.450		8.01	7.66	7.34	99
18+35+60	1.27	2.48	4.25	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440		7.82	7.48	7.17	99
18+42+42	1.41	3.29 *	3.29 *	-	8.00 2.90 - 8.50	1.742 0.670 - 2.455		8.00	7.65	7.33	99
18+42+50	1.31	3.05 *	3.64 *	-	8.00 2.90 - 8.50	1.713 0.670 - 2.440		7.86	7.52	7.21	99
18+42+60	1.20	2.80 *	4.00	-	8.00 2.90 - 8.50	1.684 0.670 - 2.430		7.73	7.39	7.09	99
18+50+50	1.22	3.39 *	3.39 *	-	8.00 2.90 - 8.50	1.703 0.670 - 2.430		7.82	7.48	7.17	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		power consumption(kW)		220	230	240	
20+20+20	2.00	2.00	2.00	-	6.00 2.90 - 8.10	1.581 0.770 - 3.900		7.26	6.94	6.65	99
20+20+22	2.00	2.00	2.20	-	6.20 2.90 - 8.10	1.630 0.800 - 3.645		7.48	7.16	6.86	99
20+20+25	2.00	2.00	2.50	-	6.50 2.90 - 8.10	1.586 0.750 - 3.140		7.28	6.97	6.67	99
20+20+35	2.00	2.00	3.50	-	7.50 2.90 - 8.50	1.957 0.730 - 2.580		8.98	8.59	8.23	99
20+20+42	1.95	1.95	4.10 *	-	8.00 2.90 - 8.50	1.968 0.730 - 2.565		9.03	8.64	8.28	99
20+20+50	1.78	1.78	4.44 *	-	8.00 2.90 - 8.50	1.907 0.730 - 2.545		8.75	8.37	8.02	99
20+20+60	1.60	1.60	4.80	-	8.00 2.90 - 8.50	1.813 0.730 - 2.525		8.32	7.96	7.63	99
20+22+22	2.00	2.20	2.20	-	6.40 2.90 - 8.10	1.562 0.730 - 3.265		7.17	6.86	6.57	99
20+22+25	2.00	2.20	2.50	-	6.70 2.90 - 8.20	1.589 0.700 - 2.860		7.30	6.98	6.69	99
20+22+35	2.00	2.20	3.50	-	7.70 2.90 - 8.50	1.936 0.700 - 2.540		8.89	8.50	8.15	99
20+22+42	1.90	2.10	4.00 *	-	8.00 2.90 - 8.50	1.916 0.700 - 2.520		8.80	8.42	8.07	99
20+22+50	1.74	1.91	4.35 *	-	8.00 2.90 - 8.50	1.855 0.700 - 2.505		8.52	8.15	7.81	99
20+22+60	1.57	1.73	4.71	-	8.00 2.90 - 8.50	1.761 0.700 - 2.485		8.09	7.73	7.41	99
20+25+25	2.00	2.50	2.50	-	7.00 2.90 - 8.30	1.759 0.710 - 2.650		8.07	7.72	7.40	99
20+25+42	1.84	2.30	3.86 *	-	8.00 2.90 - 8.50	1.897 0.700 - 2.520		8.71	8.33	7.98	99
20+25+50	1.68	2.11	4.21 *	-	8.00 2.90 - 8.50	1.836 0.700 - 2.500		8.43	8.06	7.73	99
20+25+60	1.52	1.90	4.57	-	8.00 2.90 - 8.50	1.742 0.700 - 2.480		8.00	7.65	7.33	99
20+35+35	1.78	3.11	3.11	-	8.00 2.90 - 8.50	1.897 0.700 - 2.525		8.71	8.33	7.98	99
20+35+42	1.65	2.89	3.46 *	-	8.00 2.90 - 8.50	1.832 0.700 - 2.510		8.41	8.05	7.71	99
20+35+50	1.52	2.67	3.81 *	-	8.00 2.90 - 8.50	1.771 0.700 - 2.490		8.13	7.78	7.45	99
20+35+60	1.39	2.43	4.17	-	8.00 2.90 - 8.50	1.742 0.700 - 2.480		8.00	7.65	7.33	99
20+42+42	1.54	3.23 *	3.23 *	-	8.00 2.90 - 8.50	1.768 0.700 - 2.490		8.12	7.76	7.44	99
20+42+50	1.43	3.00 *	3.57 *	-	8.00 2.90 - 8.50	1.751 0.700 - 2.480		8.04	7.69	7.37	99
20+42+60	1.31	2.75 *	3.93	-	8.00 2.90 - 8.50	1.722 0.700 - 2.470		7.91	7.56	7.25	99
20+50+50	1.33	3.33 *	3.33 *	-	8.00 2.90 - 8.50	1.742 0.700 - 2.470		8.00	7.65	7.33	99
22+22+22	2.20	2.20	2.20	-	6.60 2.90 - 8.10	1.494 0.670 - 2.890		6.86	6.56	6.29	99
22+22+25	2.20	2.20	2.50	-	6.90 2.90 - 8.30	1.664 0.680 - 2.680		7.64	7.31	7.00	99
22+22+35	2.20	2.20	3.50	-	7.90 2.90 - 8.50	1.914 0.670 - 2.495		8.79	8.40	8.05	99
22+22+42	2.05	2.05	3.91 *	-	8.00 2.90 - 8.50	1.865 0.670 - 2.480		8.56	8.19	7.85	99
22+22+50	1.87	1.87	4.26 *	-	8.00 2.90 - 8.50	1.803 0.670 - 2.460		8.28	7.92	7.59	99
22+22+60	1.69	1.69	4.62	-	8.00 2.90 - 8.50	1.710 0.670 - 2.440		7.85	7.51	7.20	99
22+25+25	2.20	2.50	2.50	-	7.20 2.90 - 8.50	1.910 0.670 - 2.495		8.77	8.39	8.04	99
22+25+35	2.15	2.44	3.41	-	8.00 2.90 - 8.50	1.910 0.670 - 2.495		8.77	8.39	8.04	99
22+25+42	1.98	2.25	3.78 *	-	8.00 2.90 - 8.50	1.846 0.670 - 2.475		8.47	8.11	7.77	99
22+25+50	1.81	2.06	4.12 *	-	8.00 2.90 - 8.50	1.783 0.670 - 2.460		8.19	7.83	7.51	99
22+25+60	1.64	1.87	4.49	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440		7.82	7.48	7.17	99
22+35+35	1.91	3.04	3.04	-	8.00 2.90 - 8.50	1.846 0.670 - 2.485		8.47	8.11	7.77	99
22+35+42	1.78	2.83	3.39 *	-	8.00 2.90 - 8.50	1.781 0.670 - 2.465		8.18	7.82	7.49	99
22+35+50	1.64	2.62	3.74 *	-	8.00 2.90 - 8.50	1.732 0.670 - 2.450		7.95	7.61	7.29	99
22+35+60	1.50	2.39	4.10	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440		7.82	7.48	7.17	99
22+42+42	1.66	3.17 *	3.17 *	-	8.00 2.90 - 8.50	1.722 0.670 - 2.450		7.91	7.56	7.25	99
22+42+50	1.54	2.95 *	3.51 *	-	8.00 2.90 - 8.50	1.713 0.670 - 2.440		7.86	7.52	7.21	99
22+42+60	1.42	2.71 *	3.87	-	8.00 2.90 - 8.50	1.684 0.670 - 2.430		7.73	7.39	7.09	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+50+50	1.44	3.28 *	3.28 *	-	8.00 2.90 - 8.50	1.703 0.670 - 2.430	7.82	7.48	7.17	99
25+25+25	2.50	2.50	2.50	-	7.50 2.90 - 8.50	1.879 0.670 - 2.500	8.63	8.25	7.91	99
25+25+35	2.35	2.35	3.29	-	8.00 2.90 - 8.50	1.890 0.670 - 2.490	8.68	8.30	7.96	99
25+25+42	2.17	2.17	3.65 *	-	8.00 2.90 - 8.50	1.826 0.670 - 2.475	8.38	8.02	7.69	99
25+25+50	2.00	2.00	4.00 *	-	8.00 2.90 - 8.50	1.764 0.670 - 2.455	8.10	7.75	7.42	99
25+25+60	1.82	1.82	4.36	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440	7.82	7.48	7.17	99
25+35+35	2.11	2.95	2.95	-	8.00 2.90 - 8.50	1.826 0.670 - 2.480	8.38	8.02	7.69	99
25+35+42	1.96	2.75	3.29 *	-	8.00 2.90 - 8.50	1.761 0.670 - 2.465	8.09	7.73	7.41	99
25+35+50	1.82	2.55	3.64 *	-	8.00 2.90 - 8.50	1.732 0.670 - 2.450	7.95	7.61	7.29	99
25+35+60	1.67	2.33	4.00	-	8.00 2.90 - 8.50	1.703 0.670 - 2.440	7.82	7.48	7.17	99
25+42+42	1.83	3.08 *	3.08 *	-	8.00 2.90 - 8.50	1.722 0.670 - 2.450	7.91	7.56	7.25	99
25+42+50	1.71	2.87 *	3.42 *	-	8.00 2.90 - 8.50	1.713 0.670 - 2.440	7.86	7.52	7.21	99
25+50+50	1.60	3.20 *	3.20 *	-	8.00 2.90 - 8.50	1.703 0.670 - 2.430	7.82	7.48	7.17	99
35+35+35	2.67	2.67	2.67	-	8.00 2.90 - 8.50	1.761 0.670 - 2.470	8.09	7.73	7.41	99
35+35+42	2.50	2.50	3.00 *	-	8.00 2.90 - 8.50	1.742 0.670 - 2.460	8.00	7.65	7.33	99
35+35+50	2.33	2.33	3.33 *	-	8.00 2.90 - 8.50	1.732 0.670 - 2.450	7.95	7.61	7.29	99
35+42+42	2.35	2.82 *	2.82 *	-	8.00 2.90 - 8.50	1.722 0.670 - 2.450	7.91	7.56	7.25	99
15+15+15+15	1.50	1.50	1.50	1.50	6.00 3.70 - 8.00	1.734 0.800 - 3.190	7.96	7.62	7.30	99
15+15+15+18	1.50	1.50	1.50	1.80	6.30 3.70 - 8.20	1.950 0.890 - 3.340	8.95	8.56	8.21	99
15+15+15+20	1.50	1.50	1.50	2.00	6.50 3.70 - 8.00	2.053 0.920 - 3.390	9.43	9.02	8.64	99
15+15+15+22	1.50	1.50	1.50	2.20	6.70 3.70 - 8.20	2.081 0.890 - 3.340	9.55	9.14	8.76	99
15+15+15+25	1.50	1.50	1.50	2.50	7.00 3.70 - 8.20	2.179 0.890 - 3.340	10.00	9.57	9.17	99
15+15+15+42	1.38	1.38	1.38	3.86 *	8.00 3.70 - 8.20	2.347 0.890 - 3.330	10.78	10.31	9.88	99
15+15+15+50	1.26	1.26	1.26	4.21 *	8.00 3.70 - 8.20	2.337 0.890 - 3.320	10.73	10.26	9.84	99
15+15+15+60	1.14	1.14	1.14	4.57	8.00 3.70 - 8.20	2.308 0.890 - 3.310	10.60	10.14	9.71	99
15+15+18+18	1.50	1.50	1.80	1.80	6.60 3.70 - 8.40	2.009 0.860 - 3.290	9.22	8.82	8.45	99
15+15+18+20	1.50	1.50	1.80	2.00	6.80 3.70 - 8.20	2.114 0.890 - 3.340	9.70	9.28	8.90	99
15+15+18+22	1.50	1.50	1.80	2.20	7.00 3.70 - 8.40	2.140 0.860 - 3.290	9.82	9.40	9.01	99
15+15+18+25	1.50	1.50	1.80	2.50	7.30 3.70 - 8.40	2.221 0.860 - 3.290	10.20	9.75	9.35	99
15+15+18+35	1.45	1.45	1.73	3.37	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+15+18+42	1.33	1.33	1.60	3.73 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+18+50	1.22	1.22	1.47	4.08 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+18+60	1.11	1.11	1.33	4.44	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+20+20	1.50	1.50	2.00	2.00	7.00 3.70 - 8.00	2.217 0.920 - 3.390	10.18	9.74	9.33	99
15+15+20+22	1.50	1.50	2.00	2.20	7.20 3.70 - 8.40	2.290 0.890 - 3.340	10.52	10.06	9.64	99
15+15+20+25	1.50	1.50	2.00	2.50	7.50 3.70 - 8.20	2.290 0.890 - 3.340	10.52	10.06	9.64	99
15+15+20+35	1.41	1.41	1.88	3.29	8.00 3.70 - 8.20	2.366 0.890 - 3.340	10.87	10.39	9.96	99
15+15+20+42	1.30	1.30	1.74	3.65 *	8.00 3.70 - 8.20	2.347 0.890 - 3.330	10.78	10.31	9.88	99
15+15+20+50	1.20	1.20	1.60	4.00 *	8.00 3.70 - 8.20	2.337 0.890 - 3.320	10.73	10.26	9.84	99
15+15+20+60	1.09	1.09	1.45	4.36	8.00 3.70 - 8.20	2.308 0.890 - 3.310	10.60	10.14	9.71	99
15+15+22+22	1.50	1.50	2.20	2.20	7.40 3.70 - 8.40	2.236 0.860 - 3.290	10.27	9.82	9.41	99
15+15+22+25	1.50	1.50	2.20	2.50	7.70 3.70 - 8.40	2.282 0.860 - 3.290	10.48	10.02	9.60	99
15+15+22+35	1.38	1.38	2.02	3.22	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+15+22+42	1.28	1.28	1.87	3.57 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+22+50	1.18	1.18	1.73	3.92 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+22+60	1.07	1.07	1.57	4.29	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+25+35	1.33	1.33	2.22	3.11	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+15+25+42	1.24	1.24	2.06	3.46 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+25+50	1.14	1.14	1.90	3.81 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+25+60	1.04	1.04	1.74	4.17	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+35+35	1.20	1.20	2.80	2.80	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+15+35+42	1.12	1.12	2.62	3.14 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+15+35+50	1.04	1.04	2.43	3.48 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+15+35+60	0.96	0.96	2.24	3.84	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+15+42+42	1.05	1.05	2.95 *	2.95 *	8.00 3.70 - 8.40	2.289 0.860 - 3.270	10.51	10.05	9.63	99
15+15+42+50	0.98	0.98	2.75 *	3.28 *	8.00 3.70 - 8.40	2.279 0.860 - 3.260	10.46	10.01	9.59	99
15+18+18+18	1.50	1.80	1.80	1.80	6.90 3.70 - 8.60	2.069 0.830 - 3.240	9.50	9.09	8.71	99
15+18+18+20	1.50	1.80	1.80	2.00	7.10 3.70 - 8.40	2.173 0.860 - 3.290	9.98	9.54	9.14	99
15+18+18+22	1.50	1.80	1.80	2.20	7.30 3.70 - 8.60	2.182 0.830 - 3.240	10.02	9.58	9.18	99
15+18+18+25	1.50	1.80	1.80	2.50	7.60 3.70 - 8.60	2.228 0.830 - 3.240	10.23	9.78	9.38	99
15+18+18+35	1.40	1.67	1.67	3.26	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+18+42	1.29	1.55	1.55	3.61 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+18+50	1.19	1.43	1.43	3.96 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+18+60	1.08	1.30	1.30	4.32	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+18+20+20	1.50	1.80	2.00	2.00	7.30 3.70 - 8.20	2.260 0.890 - 3.340	10.38	9.92	9.51	99
15+18+20+22	1.50	1.80	2.00	2.20	7.50 3.70 - 8.40	2.251 0.860 - 3.290	10.34	9.89	9.48	99
15+18+20+25	1.50	1.80	2.00	2.50	7.80 3.70 - 8.40	2.297 0.860 - 3.290	10.55	10.09	9.67	99
15+18+20+35	1.36	1.64	1.82	3.18	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+18+20+42	1.26	1.52	1.68	3.54 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+18+20+50	1.17	1.40	1.55	3.88 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+18+20+60	1.06	1.27	1.42	4.25	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+18+22+22	1.50	1.80	2.20	2.20	7.70 3.70 - 8.60	2.243 0.830 - 3.240	10.30	9.85	9.44	99
15+18+22+35	1.33	1.60	1.96	3.11	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+22+42	1.24	1.48	1.81	3.46 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+22+50	1.14	1.37	1.68	3.81 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+22+60	1.04	1.25	1.53	4.17	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+18+25+25	1.45	1.73	2.41	2.41	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+25+35	1.29	1.55	2.15	3.01	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+25+42	1.20	1.44	2.00	3.36 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+25+50	1.11	1.33	1.85	3.70 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+25+60	1.02	1.22	1.69	4.07	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+18+35+35	1.17	1.40	2.72	2.72	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+18+35+42	1.09	1.31	2.55	3.05 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+18+35+50	1.02	1.22	2.37	3.39 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+18+42+42	1.03	1.23	2.87 *	2.87 *	8.00 3.70 - 8.60	2.250 0.830 - 3.220	10.33	9.88	9.47	99
15+18+42+50	0.96	1.15	2.69 *	3.20 *	8.00 3.70 - 8.60	2.240 0.830 - 3.210	10.29	9.84	9.43	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
15+20+20+20	1.50	2.00	2.00	2.00	7.50 3.70 - 8.00	2.329 0.920 - 3.390	10.69	10.23	9.80	99
15+20+20+22	1.50	2.00	2.00	2.20	7.70 3.70 - 8.20	2.321 0.890 - 3.340	10.66	10.19	9.77	99
15+20+20+35	1.33	1.78	1.78	3.11	8.00 3.70 - 8.20	2.366 0.890 - 3.340	10.87	10.39	9.96	99
15+20+20+42	1.24	1.65	1.65	3.46 *	8.00 3.70 - 8.20	2.347 0.890 - 3.330	10.78	10.31	9.88	99
15+20+20+50	1.14	1.52	1.52	3.81 *	8.00 3.70 - 8.20	2.337 0.890 - 3.320	10.73	10.26	9.84	99
15+20+20+60	1.04	1.39	1.39	4.17	8.00 3.70 - 8.20	2.308 0.890 - 3.310	10.60	10.14	9.71	99
15+20+22+22	1.50	2.00	2.20	2.20	7.90 3.70 - 8.40	2.312 0.860 - 3.290	10.62	10.16	9.73	99
15+20+22+25	1.46	1.95	2.15	2.44	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+22+35	1.30	1.74	1.91	3.04	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+22+42	1.21	1.62	1.78	3.39 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+20+22+50	1.12	1.50	1.64	3.74 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+20+22+60	1.03	1.37	1.50	4.10	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+20+25+25	1.41	1.88	2.35	2.35	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+25+35	1.26	1.68	2.11	2.95	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+25+42	1.18	1.57	1.96	3.29 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+20+25+50	1.09	1.45	1.82	3.64 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+20+25+60	1.00	1.33	1.67	4.00	8.00 3.70 - 8.40	2.269 0.860 - 3.260	10.42	9.97	9.55	99
15+20+35+35	1.14	1.52	2.67	2.67	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
15+20+35+42	1.07	1.43	2.50	3.00 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
15+20+35+50	1.00	1.33	2.33	3.33 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99
15+20+42+42	1.01	1.34	2.82 *	2.82 *	8.00 3.70 - 8.40	2.289 0.860 - 3.270	10.51	10.05	9.63	99
15+22+22+22	1.48	2.17	2.17	2.17	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+22+25	1.43	2.10	2.10	2.38	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+22+35	1.28	1.87	1.87	2.98	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+22+42	1.19	1.74	1.74	3.33 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+22+22+50	1.10	1.61	1.61	3.67 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+22+22+60	1.01	1.48	1.48	4.03	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+22+25+25	1.38	2.02	2.30	2.30	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+25+35	1.24	1.81	2.06	2.89	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+25+42	1.15	1.69	1.92	3.23 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+22+25+50	1.07	1.57	1.79	3.57 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+22+25+60	0.98	1.44	1.64	3.93	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+22+35+35	1.12	1.64	2.62	2.62	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+22+35+42	1.05	1.54	2.46	2.95 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+22+35+50	0.98	1.44	2.30	3.28 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+22+42+42	0.99	1.45	2.78 *	2.78 *	8.00 3.70 - 8.60	2.250 0.830 - 3.220	10.33	9.88	9.47	99
15+25+25+25	1.33	2.22	2.22	2.22	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+25+25+35	1.20	2.00	2.00	2.80	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+25+25+42	1.12	1.87	1.87	3.14 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
15+25+25+50	1.04	1.74	1.74	3.48 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
15+25+25+60	0.96	1.60	1.60	3.84	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
15+25+35+35	1.09	1.82	2.55	2.55	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
15+25+35+42	1.03	1.71	2.39	2.87 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Total	Outdoor unit		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D		power consumption(kW)		220	230	240	
15+25+35+50	0.96	1.60	2.24	3.20 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220		10.38	9.92	9.51	99
15+25+42+42	0.97	1.61	2.71 *	2.71 *	8.00 3.70 - 8.60	2.250 0.830 - 3.220		10.33	9.88	9.47	99
15+35+35+35	1.00	2.33	2.33	2.33	8.00 3.70 - 8.60	2.289 0.830 - 3.240		10.51	10.05	9.63	99
18+18+18+18	1.80	1.80	1.80	1.80	7.20 3.70 - 9.00	1.770 0.800 - 3.190		8.13	7.77	7.45	99
18+18+18+20	1.80	1.80	1.80	2.00	7.40 3.70 - 8.60	2.197 0.830 - 3.240		10.09	9.65	9.25	99
18+18+18+22	1.80	1.80	1.80	2.20	7.60 3.70 - 9.00	2.189 0.800 - 3.190		10.05	9.61	9.21	99
18+18+18+25	1.80	1.80	1.80	2.50	7.90 3.70 - 9.00	2.235 0.800 - 3.190		10.26	9.81	9.41	99
18+18+18+35	1.62	1.62	1.62	3.15	8.00 3.70 - 9.00	2.250 0.800 - 3.190		10.33	9.88	9.47	99
18+18+18+42	1.50	1.50	1.50	3.50 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180		10.24	9.80	9.39	99
18+18+18+50	1.38	1.38	1.38	3.85 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170		10.20	9.75	9.35	99
18+18+18+60	1.26	1.26	1.26	4.21	8.00 3.70 - 9.00	2.192 0.800 - 3.160		10.06	9.63	9.22	99
18+18+20+20	1.80	1.80	2.00	2.00	7.60 3.70 - 8.40	2.267 0.860 - 3.290		10.41	9.95	9.54	99
18+18+20+22	1.80	1.80	2.00	2.20	7.80 3.70 - 8.60	2.258 0.830 - 3.240		10.37	9.92	9.50	99
18+18+20+25	1.78	1.78	1.98	2.47	8.00 3.70 - 8.60	2.289 0.830 - 3.240		10.51	10.05	9.63	99
18+18+20+35	1.58	1.58	1.76	3.08	8.00 3.70 - 8.60	2.289 0.830 - 3.240		10.51	10.05	9.63	99
18+18+20+42	1.47	1.47	1.63	3.43 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230		10.42	9.97	9.55	99
18+18+20+50	1.36	1.36	1.51	3.77 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220		10.38	9.92	9.51	99
18+18+20+60	1.24	1.24	1.38	4.14	8.00 3.70 - 8.60	2.231 0.830 - 3.210		10.24	9.80	9.39	99
18+18+22+25	1.73	1.73	2.12	2.41	8.00 3.70 - 9.00	2.250 0.800 - 3.190		10.33	9.88	9.47	99
18+18+22+35	1.55	1.55	1.89	3.01	8.00 3.70 - 9.00	2.250 0.800 - 3.190		10.33	9.88	9.47	99
18+18+22+42	1.44	1.44	1.76	3.36 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180		10.24	9.80	9.39	99
18+18+22+50	1.33	1.33	1.63	3.70 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170		10.20	9.75	9.35	99
18+18+22+60	1.22	1.22	1.49	4.07	8.00 3.70 - 9.00	2.192 0.800 - 3.160		10.06	9.63	9.22	99
18+18+25+25	1.67	1.67	2.33	2.33	8.00 3.70 - 9.00	2.250 0.800 - 3.190		10.33	9.88	9.47	99
18+18+25+35	1.50	1.50	2.08	2.92	8.00 3.70 - 9.00	2.250 0.800 - 3.190		10.33	9.88	9.47	99
18+18+25+42	1.40	1.40	1.94	3.26 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180		10.24	9.80	9.39	99
18+18+25+50	1.30	1.30	1.80	3.60 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170		10.20	9.75	9.35	99
18+18+25+60	1.19	1.19	1.65	3.97	8.00 3.70 - 9.00	2.192 0.800 - 3.160		10.06	9.63	9.22	99
18+18+35+35	1.36	1.36	2.64	2.64	8.00 3.70 - 9.00	2.250 0.800 - 3.190		10.33	9.88	9.47	99
18+18+35+42	1.27	1.27	2.48	2.97 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180		10.24	9.80	9.39	99
18+18+35+50	1.19	1.19	2.31	3.31 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170		10.20	9.75	9.35	99
18+18+42+42	1.20	1.20	2.80 *	2.80 *	8.00 3.70 - 9.00	2.211 0.800 - 3.170		10.15	9.71	9.31	99
18+20+20+20	1.80	2.00	2.00	2.00	7.80 3.70 - 8.20	2.336 0.890 - 3.340		10.73	10.26	9.83	99
18+20+20+25	1.73	1.93	1.93	2.41	8.00 3.70 - 8.40	2.328 0.860 - 3.290		10.69	10.22	9.80	99
18+20+20+35	1.55	1.72	1.72	3.01	8.00 3.70 - 8.40	2.328 0.860 - 3.290		10.69	10.22	9.80	99
18+20+20+42	1.44	1.60	1.60	3.36 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280		10.60	10.14	9.71	99
18+20+20+50	1.33	1.48	1.48	3.70 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270		10.55	10.09	9.67	99
18+20+20+60	1.22	1.36	1.36	4.07	8.00 3.70 - 8.40	2.269 0.860 - 3.260		10.42	9.97	9.55	99
18+20+22+22	1.76	1.95	2.15	2.15	8.00 3.70 - 8.60	2.289 0.830 - 3.240		10.51	10.05	9.63	99
18+20+22+25	1.69	1.88	2.07	2.35	8.00 3.70 - 8.60	2.289 0.830 - 3.240		10.51	10.05	9.63	99
18+20+22+35	1.52	1.68	1.85	2.95	8.00 3.70 - 8.60	2.289 0.830 - 3.240		10.51	10.05	9.63	99
18+20+22+42	1.41	1.57	1.73	3.29 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230		10.42	9.97	9.55	99
18+20+22+50	1.31	1.45	1.60	3.64 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220		10.38	9.92	9.51	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
18+20+22+60	1.20	1.33	1.47	4.00	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
18+20+25+25	1.64	1.82	2.27	2.27	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
18+20+25+35	1.47	1.63	2.04	2.86	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
18+20+25+42	1.37	1.52	1.90	3.20 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
18+20+25+50	1.27	1.42	1.77	3.54 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
18+20+25+60	1.17	1.30	1.63	3.90	8.00 3.70 - 8.60	2.231 0.830 - 3.210	10.24	9.80	9.39	99
18+20+35+35	1.33	1.48	2.59	2.59	8.00 3.70 - 8.60	2.289 0.830 - 3.240	10.51	10.05	9.63	99
18+20+35+42	1.25	1.39	2.43	2.92 *	8.00 3.70 - 8.60	2.269 0.830 - 3.230	10.42	9.97	9.55	99
18+20+35+50	1.17	1.30	2.28	3.25 *	8.00 3.70 - 8.60	2.260 0.830 - 3.220	10.38	9.92	9.51	99
18+20+42+42	1.18	1.31	2.75 *	2.75 *	8.00 3.70 - 8.60	2.250 0.830 - 3.220	10.33	9.88	9.47	99
18+22+22+22	1.71	2.10	2.10	2.10	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+22+22+25	1.66	2.02	2.02	2.30	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+22+22+35	1.48	1.81	1.81	2.89	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+22+22+42	1.38	1.69	1.69	3.23 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180	10.24	9.80	9.39	99
18+22+22+50	1.29	1.57	1.57	3.57 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170	10.20	9.75	9.35	99
18+22+22+60	1.18	1.44	1.44	3.93	8.00 3.70 - 9.00	2.192 0.800 - 3.160	10.06	9.63	9.22	99
18+22+25+25	1.60	1.96	2.22	2.22	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+22+25+35	1.44	1.76	2.00	2.80	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+22+25+42	1.35	1.64	1.87	3.14 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180	10.24	9.80	9.39	99
18+22+25+50	1.25	1.53	1.74	3.48 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170	10.20	9.75	9.35	99
18+22+25+60	1.15	1.41	1.60	3.84	8.00 3.70 - 9.00	2.192 0.800 - 3.160	10.06	9.63	9.22	99
18+22+35+35	1.31	1.60	2.55	2.55	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+22+35+42	1.23	1.50	2.39	2.87 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180	10.24	9.80	9.39	99
18+22+35+50	1.15	1.41	2.24	3.20 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170	10.20	9.75	9.35	99
18+22+42+42	1.16	1.42	2.71 *	2.71 *	8.00 3.70 - 9.00	2.211 0.800 - 3.170	10.15	9.71	9.31	99
18+25+25+25	1.55	2.15	2.15	2.15	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+25+25+35	1.40	1.94	1.94	2.72	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+25+25+42	1.31	1.82	1.82	3.05 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180	10.24	9.80	9.39	99
18+25+25+50	1.22	1.69	1.69	3.39 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170	10.20	9.75	9.35	99
18+25+35+35	1.27	1.77	2.48	2.48	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
18+25+35+42	1.20	1.67	2.33	2.80 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180	10.24	9.80	9.39	99
18+35+35+35	1.17	2.28	2.28	2.28	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
20+20+20+22	1.95	1.95	1.95	2.15	8.00 3.70 - 8.20	2.366 0.890 - 3.340	10.87	10.39	9.96	99
20+20+20+25	1.88	1.88	1.88	2.35	8.00 3.70 - 8.20	2.366 0.890 - 3.340	10.87	10.39	9.96	99
20+20+20+35	1.68	1.68	1.68	2.95	8.00 3.70 - 8.20	2.366 0.890 - 3.340	10.87	10.39	9.96	99
20+20+20+42	1.57	1.57	1.57	3.29 *	8.00 3.70 - 8.20	2.347 0.890 - 3.330	10.78	10.31	9.88	99
20+20+20+50	1.45	1.45	1.45	3.64 *	8.00 3.70 - 8.20	2.337 0.890 - 3.320	10.73	10.26	9.84	99
20+20+20+60	1.33	1.33	1.33	4.00	8.00 3.70 - 8.20	2.308 0.890 - 3.310	10.60	10.14	9.71	99
20+20+22+22	1.90	1.90	2.10	2.10	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
20+20+22+25	1.84	1.84	2.02	2.30	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
20+20+22+35	1.65	1.65	1.81	2.89	8.00 3.70 - 8.40	2.328 0.860 - 3.290	10.69	10.22	9.80	99
20+20+22+42	1.54	1.54	1.69	3.23 *	8.00 3.70 - 8.40	2.308 0.860 - 3.280	10.60	10.14	9.71	99
20+20+22+50	1.43	1.43	1.57	3.57 *	8.00 3.70 - 8.40	2.299 0.860 - 3.270	10.55	10.09	9.67	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)				Outdoor unit power consumption(kW)		Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
20+20+22+60	1.31	1.31	1.44	3.93	8.00 3.70 - 8.40	2.269 - 3.260	10.42	9.97	9.55	99
20+20+25+25	1.78	1.78	2.22	2.22	8.00 3.70 - 8.40	2.328 - 3.290	10.69	10.22	9.80	99
20+20+25+35	1.60	1.60	2.00	2.80	8.00 3.70 - 8.40	2.328 - 3.290	10.69	10.22	9.80	99
20+20+25+42	1.50	1.50	1.87	3.14 *	8.00 3.70 - 8.40	2.308 - 3.280	10.60	10.14	9.71	99
20+20+25+50	1.39	1.39	1.74	3.48 *	8.00 3.70 - 8.40	2.299 - 3.270	10.55	10.09	9.67	99
20+20+25+60	1.28	1.28	1.60	3.84	8.00 3.70 - 8.40	2.269 - 3.260	10.42	9.97	9.55	99
20+20+35+35	1.45	1.45	2.55	2.55	8.00 3.70 - 8.40	2.328 - 3.290	10.69	10.22	9.80	99
20+20+35+42	1.37	1.37	2.39	2.87 *	8.00 3.70 - 8.40	2.308 - 3.280	10.60	10.14	9.71	99
20+20+35+50	1.28	1.28	2.24	3.20 *	8.00 3.70 - 8.40	2.299 - 3.270	10.55	10.09	9.67	99
20+20+42+42	1.29	1.29	2.71 *	2.71 *	8.00 3.70 - 8.40	2.289 - 3.270	10.51	10.05	9.63	99
20+22+22+22	1.86	2.05	2.05	2.05	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+22+22+25	1.80	1.98	1.98	2.25	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+22+22+35	1.62	1.78	1.78	2.83	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+22+22+42	1.51	1.66	1.66	3.17 *	8.00 3.70 - 8.60	2.269 - 3.230	10.42	9.97	9.55	99
20+22+22+50	1.40	1.54	1.54	3.51 *	8.00 3.70 - 8.60	2.260 - 3.220	10.38	9.92	9.51	99
20+22+22+60	1.29	1.42	1.42	3.87	8.00 3.70 - 8.60	2.231 - 3.210	10.24	9.80	9.39	99
20+22+25+25	1.74	1.91	2.17	2.17	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+22+25+35	1.57	1.73	1.96	2.75	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+22+25+42	1.47	1.61	1.83	3.08 *	8.00 3.70 - 8.60	2.269 - 3.230	10.42	9.97	9.55	99
20+22+25+50	1.37	1.50	1.71	3.42 *	8.00 3.70 - 8.60	2.260 - 3.220	10.38	9.92	9.51	99
20+22+35+35	1.43	1.57	2.50	2.50	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+22+35+42	1.34	1.48	2.35	2.82 *	8.00 3.70 - 8.60	2.269 - 3.230	10.42	9.97	9.55	99
20+25+25+25	1.68	2.11	2.11	2.11	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+25+25+35	1.52	1.90	1.90	2.67	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+25+25+42	1.43	1.79	1.79	3.00 *	8.00 3.70 - 8.60	2.269 - 3.230	10.42	9.97	9.55	99
20+25+25+50	1.33	1.67	1.67	3.33 *	8.00 3.70 - 8.60	2.260 - 3.220	10.38	9.92	9.51	99
20+25+35+35	1.39	1.74	2.43	2.43	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
20+25+35+42	1.31	1.64	2.30	2.75 *	8.00 3.70 - 8.60	2.269 - 3.230	10.42	9.97	9.55	99
20+35+35+35	1.28	2.24	2.24	2.24	8.00 3.70 - 8.60	2.289 - 3.240	10.51	10.05	9.63	99
22+22+22+22	2.00	2.00	2.00	2.00	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+22+22+25	1.93	1.93	1.93	2.20	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+22+22+35	1.74	1.74	1.74	2.77	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+22+22+42	1.63	1.63	1.63	3.11 *	8.00 3.70 - 9.00	2.231 - 3.180	10.24	9.80	9.39	99
22+22+22+50	1.52	1.52	1.52	3.45 *	8.00 3.70 - 9.00	2.221 - 3.170	10.20	9.75	9.35	99
22+22+25+25	1.87	1.87	2.13	2.13	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+22+25+35	1.69	1.69	1.92	2.69	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+22+25+42	1.59	1.59	1.80	3.03 *	8.00 3.70 - 9.00	2.231 - 3.180	10.24	9.80	9.39	99
22+22+25+50	1.48	1.48	1.68	3.36 *	8.00 3.70 - 9.00	2.221 - 3.170	10.20	9.75	9.35	99
22+22+35+35	1.54	1.54	2.46	2.46	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+22+35+42	1.45	1.45	2.31	2.78 *	8.00 3.70 - 9.00	2.231 - 3.180	10.24	9.80	9.39	99
22+25+25+25	1.81	2.06	2.06	2.06	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+25+25+35	1.64	1.87	1.87	2.62	8.00 3.70 - 9.00	2.250 - 3.190	10.33	9.88	9.47	99
22+25+25+42	1.54	1.75	1.75	2.95 *	8.00 3.70 - 9.00	2.231 - 3.180	10.24	9.80	9.39	99

MXZ-4F80VF2 COOLING

Indoor units combination	Cooling capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+25+25+50	1.44	1.64	1.64	3.28 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170	10.20	9.75	9.35	99
22+25+35+35	1.50	1.71	2.39	2.39	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
22+25+35+42	1.42	1.61	2.26	2.71 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180	10.24	9.80	9.39	99
25+25+25+25	2.00	2.00	2.00	2.00	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
25+25+25+35	1.82	1.82	1.82	2.55	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99
25+25+25+42	1.71	1.71	1.71	2.87 *	8.00 3.70 - 9.00	2.231 0.800 - 3.180	10.24	9.80	9.39	99
25+25+25+50	1.60	1.60	1.60	3.20 *	8.00 3.70 - 9.00	2.221 0.800 - 3.170	10.20	9.75	9.35	99
25+25+35+35	1.67	1.67	2.33	2.33	8.00 3.70 - 9.00	2.250 0.800 - 3.190	10.33	9.88	9.47	99

* In case of MSZ-AP42/50VG or SLZ-M50FA, Rated capacity is lower than another model.

	Total connect indoor unit
	3, 4 units
MSZ-AP42VG	90%
MSZ-AP50VG	80%
SLZ-M50FA	70%

ex.) MSZ-LN18VG + MSZ-LN22VG + MSZ-AP42VG

- MSZ-LN18VG : Rated capacity is 1.78kW.
- MSZ-LN22VG : Rated capacity is 2.66kW.
- MSZ-AP42VG : Rated capacity is 3.92kW. (=4.36*0.9)

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15	1.70	-	-	-	1.70 - 2.80	0.502 - 0.780	2.30	2.20	2.11	99
18	2.20	-	-	-	2.20 2.00 - 4.50	0.780 - 1.250	3.58	3.43	3.28	99
20	2.20	-	-	-	2.20 2.00 - 2.50	0.630 - 0.780	2.89	2.77	2.65	99
22	3.30	-	-	-	3.30 2.00 - 4.50	0.780 - 1.250	3.58	3.43	3.28	99
25	3.60	-	-	-	3.60 2.00 - 5.30	0.830 - 1.480	3.81	3.65	3.49	99
35	4.00	-	-	-	4.00 2.00 - 5.30	0.960 - 1.480	4.41	4.22	4.04	99
42	5.40	-	-	-	5.40 2.00 - 5.60	1.508 - 1.564	6.92	6.62	6.35	99
50	5.80	-	-	-	5.80 2.00 - 6.80	1.620 - 2.431	7.44	7.11	6.82	99
60	7.90	-	-	-	7.90 2.00 - 8.60	2.778 - 3.295	12.76	12.20	11.69	99
15+15	1.70	1.70	-	-	3.40 1.80 - 5.00	0.780 - 1.300	3.58	3.43	3.28	99
15+18	1.70	2.20	-	-	3.90 1.80 - 6.10	1.123 - 1.530	5.16	4.93	4.73	99
15+20	1.70	2.20	-	-	3.90 1.80 - 5.80	0.947 - 1.625	4.35	4.16	3.98	99
15+22	1.70	3.30	-	-	5.00 1.80 - 6.10	1.123 - 1.530	5.16	4.93	4.73	99
15+25	1.70	3.60	-	-	5.30 1.80 - 6.10	1.123 - 1.530	5.16	4.93	4.73	99
15+35	1.70	4.00	-	-	5.70 1.80 - 7.90	1.294 - 2.190	5.94	5.68	5.44	99
15+42	1.70	5.40	-	-	7.10 1.80 - 7.90	1.417 - 2.190	6.51	6.22	5.96	99
15+50	1.70	5.80	-	-	7.50 1.80 - 7.90	1.544 - 2.180	7.09	6.78	6.50	99
15+60	1.56	7.24	-	-	8.80 1.80 - 7.90	1.638 - 2.150	7.52	7.19	6.89	99
18+18	2.20	2.20	-	-	4.40 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
18+20	2.20	2.20	-	-	4.40 1.80 - 6.90	1.290 - 1.855	5.92	5.66	5.43	99
18+22	2.20	3.30	-	-	5.50 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
18+25	2.20	3.60	-	-	5.80 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
18+35	2.20	4.00	-	-	6.20 1.80 - 9.00	1.690 - 2.420	7.76	7.42	7.11	99
18+42	2.20	5.40	-	-	7.60 1.80 - 9.00	1.813 - 2.420	8.32	7.96	7.63	99
18+50	2.20	5.80	-	-	8.00 1.80 - 9.00	1.936 - 2.410	8.89	8.50	8.15	99
18+60	1.92	6.88	-	-	8.80 1.80 - 9.00	2.574 - 2.574	11.82	11.30	10.83	99
20+20	2.20	2.20	-	-	4.40 1.80 - 6.60	1.113 - 1.950	5.11	4.89	4.69	99
20+22	2.20	3.30	-	-	5.50 1.80 - 6.90	1.290 - 1.855	5.92	5.66	5.43	99
20+25	2.20	3.60	-	-	5.80 1.80 - 7.20	1.320 - 1.965	6.06	5.80	5.56	99
20+35	2.20	4.00	-	-	6.20 1.80 - 8.70	1.548 - 2.515	7.11	6.80	6.52	99
20+42	2.20	5.40	-	-	7.60 1.80 - 8.70	1.670 - 2.515	7.67	7.33	7.03	99
20+50	2.20	5.80	-	-	8.00 1.80 - 8.70	1.793 - 2.505	8.23	7.88	7.55	99
22+22	3.30	3.30	-	-	6.60 1.80 - 7.20	1.466 - 1.760	6.73	6.44	6.17	99
22+25	3.30	3.60	-	-	6.90 1.80 - 8.10	1.556 - 2.095	7.15	6.83	6.55	99
22+35	3.30	4.00	-	-	7.30 1.80 - 9.00	1.760 - 2.420	8.08	7.73	7.41	99
22+42	3.30	5.40	-	-	8.70 1.80 - 9.00	1.880 - 2.420	8.63	8.25	7.91	99
22+50	3.19	5.61	-	-	8.80 1.80 - 9.00	2.591 - 2.591	11.90	11.38	10.90	99
22+60	2.59	6.21	-	-	8.80 1.80 - 9.00	2.591 - 2.591	11.90	11.38	10.90	99
25+25	3.60	3.60	-	-	7.20 1.80 - 9.00	1.646 - 2.430	7.56	7.23	6.93	99
25+35	3.60	4.00	-	-	7.60 1.80 - 9.00	1.813 - 2.420	8.32	7.96	7.63	99
25+42	3.52	5.28	-	-	8.80 1.80 - 9.00	1.930 - 2.420	8.86	8.47	8.12	99
25+50	3.37	5.43	-	-	8.80 1.80 - 9.00	1.990 - 2.390	9.14	8.74	8.38	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
25+60	2.75	6.05	-	-	8.80 1.80 - 9.00	2.583 0.400 - 2.583	11.86	11.34	10.87	99
35+35	4.00	4.00	-	-	8.00 1.80 - 9.00	1.970 0.410 - 2.410	9.04	8.65	8.29	99
35+42	3.74	5.06	-	-	8.80 1.80 - 9.00	2.580 0.410 - 2.580	11.85	11.33	10.86	99
35+50	3.59	5.21	-	-	8.80 1.80 - 9.00	2.583 0.400 - 2.583	11.86	11.34	10.87	99
35+60	2.96	5.84	-	-	8.80 1.90 - 9.00	2.408 0.370 - 2.408	11.05	10.57	10.13	99
42+42	4.40	4.40	-	-	8.80 1.80 - 9.00	2.609 0.400 - 2.609	11.98	11.46	10.98	99
42+50	4.24	4.56	-	-	8.80 1.90 - 9.00	2.467 0.380 - 2.467	11.33	10.84	10.38	99
42+60	3.57	5.23	-	-	8.80 1.90 - 9.00	2.323 0.360 - 2.323	10.67	10.20	9.78	99
50+50	4.40	4.40	-	-	8.80 1.90 - 9.00	2.325 0.360 - 2.325	10.68	10.21	9.79	99
50+60	3.73	5.07	-	-	8.80 1.90 - 9.00	2.306 0.360 - 2.306	10.59	10.13	9.70	99
60+60	4.40	4.40	-	-	8.80 1.90 - 9.00	2.286 0.360 - 2.286	10.50	10.04	9.62	99
15+15+15	1.70	1.70	1.70	-	5.10 2.60 - 8.50	1.106 0.890 - 2.425	5.08	4.86	4.66	99
15+15+18	1.70	1.70	2.20	-	5.60 2.60 - 9.20	1.489 0.770 - 2.775	6.83	6.54	6.27	99
15+15+20	1.70	1.70	2.20	-	5.60 2.60 - 9.00	1.244 0.910 - 2.645	5.71	5.46	5.23	99
15+15+22	1.70	1.70	3.30	-	6.70 2.60 - 9.20	1.489 0.780 - 2.775	6.83	6.54	6.27	99
15+15+25	1.70	1.70	3.60	-	7.00 2.60 - 9.20	1.489 0.790 - 2.775	6.83	6.54	6.27	99
15+15+35	1.70	1.70	4.00	-	7.40 2.60 - 9.20	1.479 0.790 - 2.765	6.79	6.49	6.22	99
15+15+42	1.70	1.70	5.40	-	8.80 2.60 - 9.20	1.479 0.790 - 2.765	6.79	6.49	6.22	99
15+15+60	1.32	1.32	6.15	-	8.80 2.60 - 9.20	1.459 0.790 - 2.745	6.70	6.41	6.14	99
15+18+18	1.70	2.20	2.20	-	6.10 2.60 - 9.90	1.871 0.650 - 3.125	8.59	8.22	7.87	99
15+18+20	1.70	2.20	2.20	-	6.10 2.60 - 9.70	1.626 0.790 - 2.995	7.46	7.14	6.84	99
15+18+22	1.70	2.20	3.30	-	7.20 2.60 - 9.90	1.871 0.660 - 3.125	8.59	8.22	7.87	99
15+18+25	1.70	2.20	3.60	-	7.50 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+18+35	1.70	2.20	4.00	-	7.90 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99
15+18+42	1.61	2.08	5.11	-	8.80 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99
15+18+50	1.54	2.00	5.26	-	8.80 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99
15+18+60	1.27	1.64	5.89	-	8.80 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99
15+20+20	1.70	2.20	2.20	-	6.10 2.60 - 9.50	1.381 0.920 - 2.865	6.34	6.06	5.81	99
15+20+22	1.70	2.20	3.30	-	7.20 2.60 - 9.70	1.626 0.780 - 2.995	7.46	7.14	6.84	99
15+20+25	1.70	2.20	3.60	-	7.50 2.60 - 9.70	1.626 0.760 - 2.995	7.46	7.14	6.84	99
15+20+35	1.70	2.20	4.00	-	7.90 2.60 - 9.70	1.616 0.790 - 2.985	7.42	7.10	6.80	99
15+20+42	1.61	2.08	5.11	-	8.80 2.60 - 9.70	1.616 0.790 - 2.985	7.42	7.10	6.80	99
15+20+50	1.54	2.00	5.26	-	8.80 2.60 - 9.70	1.606 0.790 - 2.975	7.37	7.05	6.76	99
15+20+60	1.27	1.64	5.89	-	8.80 2.60 - 9.70	1.596 0.790 - 2.965	7.33	7.01	6.72	99
15+22+22	1.70	3.30	3.30	-	8.30 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+22+25	1.70	3.30	3.60	-	8.60 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+22+35	1.66	3.23	3.91	-	8.80 2.60 - 9.90	1.871 0.640 - 3.125	8.59	8.22	7.87	99
15+22+42	1.44	2.79	4.57	-	8.80 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99
15+22+50	1.39	2.69	4.73	-	8.80 2.60 - 9.90	1.851 0.660 - 3.105	8.50	8.13	7.79	99
15+22+60	1.16	2.25	5.39	-	8.80 2.60 - 9.90	1.841 0.660 - 3.095	8.45	8.09	7.75	99
15+25+25	1.68	3.56	3.56	-	8.80 2.60 - 9.90	1.871 0.660 - 3.125	8.59	8.22	7.87	99
15+25+35	1.61	3.41	3.78	-	8.80 2.60 - 9.90	1.861 0.660 - 3.115	8.54	8.17	7.83	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
15+25+42	1.40	2.96	4.44	-	8.80 2.60 - 9.90	1.861 - 3.115	0.660	8.54	8.17	7.83	99
15+25+50	1.35	2.85	4.60	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+25+60	1.13	2.40	5.27	-	8.80 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+35	1.54	3.63	3.63	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+42	1.35	3.17	4.28	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+35+50	1.30	3.06	4.44	-	8.80 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+35+60	1.10	2.59	5.11	-	8.80 2.60 - 9.90	1.832 - 3.085	0.660	8.41	8.04	7.71	99
15+42+42	1.20	3.80	3.80	-	8.80 2.60 - 9.90	1.851 - 3.105	0.660	8.50	8.13	7.79	99
15+42+50	1.16	3.68	3.96	-	8.80 2.60 - 9.90	1.841 - 3.095	0.660	8.45	8.09	7.75	99
15+42+60	1.00	3.17	4.63	-	8.80 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+50	1.12	3.84	3.84	-	8.80 2.60 - 9.90	1.832 - 3.085	0.650	8.41	8.04	7.71	99
15+50+60	0.97	3.31	4.51	-	8.80 2.60 - 9.90	1.822 - 3.075	0.640	8.36	8.00	7.67	99
18+18+18	2.20	2.20	2.20	-	6.60 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+18+20	2.20	2.20	2.20	-	6.60 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+18+22	2.20	2.20	3.30	-	7.70 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+25	2.20	2.20	3.60	-	8.00 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+18+35	2.20	2.20	4.00	-	8.40 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+42	1.98	1.98	4.85	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+18+50	1.90	1.90	5.00	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+18+60	1.57	1.57	5.65	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.20	1.763 - 3.215	0.770	8.09	7.74	7.42	99
18+20+22	2.20	2.20	3.30	-	7.70 2.60 - 10.40	2.008 - 3.345	0.630	9.22	8.82	8.45	99
18+20+25	2.20	2.20	3.60	-	8.00 2.60 - 10.40	2.008 - 3.345	0.650	9.22	8.82	8.45	99
18+20+35	2.20	2.20	4.00	-	8.40 2.60 - 10.40	1.998 - 3.335	0.660	9.17	8.78	8.41	99
18+20+50	1.90	1.90	5.00	-	8.80 2.60 - 10.40	1.988 - 3.325	0.660	9.13	8.73	8.37	99
18+20+60	1.57	1.57	5.65	-	8.80 2.60 - 10.40	1.979 - 3.315	0.660	9.08	8.69	8.33	99
18+22+22	2.20	3.30	3.30	-	8.80 2.60 - 10.60	2.253 - 3.475	0.510	10.34	9.89	9.48	99
18+22+25	2.13	3.19	3.48	-	8.80 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+22+35	2.04	3.06	3.71	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+42	1.78	2.66	4.36	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+22+50	1.71	2.57	4.52	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+22+60	1.44	2.17	5.19	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+25+25	2.06	3.37	3.37	-	8.80 2.60 - 10.60	2.253 - 3.475	0.530	10.34	9.89	9.48	99
18+25+35	1.98	3.23	3.59	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+25+42	1.73	2.83	4.24	-	8.80 2.60 - 10.60	2.243 - 3.465	0.530	10.30	9.85	9.44	99
18+25+50	1.67	2.73	4.40	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+25+60	1.41	2.31	5.07	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+35+35	1.90	3.45	3.45	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+35+42	1.67	3.03	4.10	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99
18+35+50	1.61	2.93	4.25	-	8.80 2.60 - 10.60	2.224 - 3.445	0.530	10.21	9.77	9.36	99
18+35+60	1.37	2.50	4.93	-	8.80 2.60 - 10.60	2.214 - 3.435	0.520	10.16	9.72	9.32	99
18+42+42	1.49	3.66	3.66	-	8.80 2.60 - 10.60	2.233 - 3.455	0.530	10.25	9.81	9.40	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+42+50	1.44	3.55	3.81	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
18+42+60	1.25	3.07	4.49	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
18+50+50	1.40	3.70	3.70	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
20+20+20	2.20	2.20	2.20	-	6.60 2.60 - 10.00	1.518 0.890 - 3.085	6.97	6.67	6.39	99
20+20+22	2.20	2.20	3.30	-	7.70 2.60 - 10.20	1.763 0.770 - 3.215	8.09	7.74	7.42	99
20+20+25	2.20	2.20	3.60	-	8.00 2.60 - 10.20	1.763 0.790 - 3.215	8.09	7.74	7.42	99
20+20+35	2.20	2.20	4.00	-	8.40 2.60 - 10.20	1.753 0.790 - 3.205	8.05	7.70	7.38	99
20+20+42	1.98	1.98	4.85	-	8.80 2.60 - 10.20	1.753 0.790 - 3.205	8.05	7.70	7.38	99
20+20+50	1.90	1.90	5.00	-	8.80 2.60 - 10.20	1.743 0.790 - 3.195	8.00	7.66	7.34	99
20+20+60	1.57	1.57	5.65	-	8.80 2.60 - 10.20	1.734 0.790 - 3.185	7.96	7.61	7.30	99
20+22+22	2.20	3.30	3.30	-	8.80 2.60 - 10.40	2.008 0.650 - 3.345	9.22	8.82	8.45	99
20+22+25	2.13	3.19	3.48	-	8.80 2.60 - 10.40	2.008 0.660 - 3.345	9.22	8.82	8.45	99
20+22+35	2.04	3.06	3.71	-	8.80 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99
20+22+42	1.78	2.66	4.36	-	8.80 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99
20+22+50	1.71	2.57	4.52	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+22+60	1.44	2.17	5.19	-	8.80 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99
20+25+25	2.06	3.37	3.37	-	8.80 2.60 - 10.40	2.008 0.660 - 3.345	9.22	8.82	8.45	99
20+25+42	1.73	2.83	4.24	-	8.80 2.60 - 10.40	1.998 0.660 - 3.335	9.17	8.78	8.41	99
20+25+50	1.67	2.73	4.40	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+25+60	1.41	2.31	5.07	-	8.80 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99
20+35+35	1.90	3.45	3.45	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+35+42	1.67	3.03	4.10	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+35+50	1.61	2.93	4.25	-	8.80 2.60 - 10.40	1.979 0.660 - 3.315	9.08	8.69	8.33	99
20+35+60	1.37	2.50	4.93	-	8.80 2.60 - 10.40	1.969 0.650 - 3.305	9.04	8.65	8.29	99
20+42+42	1.49	3.66	3.66	-	8.80 2.60 - 10.40	1.988 0.660 - 3.325	9.13	8.73	8.37	99
20+42+50	1.44	3.55	3.81	-	8.80 2.60 - 10.40	1.979 0.650 - 3.315	9.08	8.69	8.33	99
20+42+60	1.25	3.07	4.49	-	8.80 2.60 - 10.40	1.969 0.640 - 3.305	9.04	8.65	8.29	99
20+50+50	1.40	3.70	3.70	-	8.80 2.60 - 10.40	1.969 0.650 - 3.305	9.04	8.65	8.29	99
22+22+22	2.93	2.93	2.93	-	8.80 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99
22+22+25	2.85	2.85	3.11	-	8.80 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99
22+22+35	2.74	2.74	3.32	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+22+42	2.42	2.42	3.96	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+22+50	2.34	2.34	4.12	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+22+60	2.00	2.00	4.79	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
22+25+25	2.77	3.02	3.02	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+25+35	2.66	2.91	3.23	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+25+42	2.36	2.58	3.86	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
22+25+50	2.29	2.49	4.02	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+25+60	1.96	2.14	4.70	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
22+35+35	2.57	3.12	3.12	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+35+42	2.29	2.77	3.74	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+35+50	2.22	2.69	3.90	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+35+60	1.91	2.32	4.57	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
22+42+42	2.06	3.37	3.37	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
22+42+50	2.00	3.28	3.52	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
22+42+60	1.75	2.86	4.19	-	8.80 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99
22+50+50	1.95	3.43	3.43	-	8.80 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99
25+25+25	2.93	2.93	2.93	-	8.80 2.60 - 10.60	2.253 0.530 - 3.475	10.34	9.89	9.48	99
25+25+35	2.83	2.83	3.14	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
25+25+42	2.51	2.51	3.77	-	8.80 2.60 - 10.60	2.243 0.530 - 3.465	10.30	9.85	9.44	99
25+25+50	2.44	2.44	3.93	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+25+60	2.10	2.10	4.60	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
25+35+35	2.73	3.03	3.03	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+35+42	2.44	2.71	3.66	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+35+50	2.36	2.63	3.81	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
25+35+60	2.04	2.27	4.49	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
25+42+42	2.20	3.30	3.30	-	8.80 2.60 - 10.60	2.233 0.530 - 3.455	10.25	9.81	9.40	99
25+42+50	2.14	3.21	3.45	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
25+50+50	2.08	3.36	3.36	-	8.80 2.60 - 10.60	2.214 0.510 - 3.435	10.16	9.72	9.32	99
35+35+35	2.93	2.93	2.93	-	8.80 2.60 - 10.60	2.224 0.530 - 3.445	10.21	9.77	9.36	99
35+35+42	2.63	2.63	3.55	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
35+35+50	2.55	2.55	3.70	-	8.80 2.60 - 10.60	2.214 0.520 - 3.435	10.16	9.72	9.32	99
35+42+42	2.38	3.21	3.21	-	8.80 2.60 - 10.60	2.224 0.520 - 3.445	10.21	9.77	9.36	99
15+15+15+15	1.70	1.70	1.70	1.70	6.80 3.40 - 9.50	1.462 0.880 - 2.470	6.71	6.42	6.15	99
15+15+15+18	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99
15+15+15+20	1.70	1.70	1.70	2.20	7.30 3.40 - 9.80	1.727 0.880 - 2.695	7.93	7.58	7.27	99
15+15+15+22	1.70	1.70	1.70	3.30	8.40 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99
15+15+15+25	1.70	1.70	1.70	3.60	8.70 3.40 - 9.80	1.629 0.810 - 2.550	7.48	7.15	6.86	99
15+15+15+42	1.42	1.42	1.42	4.53	8.80 3.40 - 9.80	1.682 0.810 - 2.700	7.72	7.39	7.08	99
15+15+15+50	1.37	1.37	1.37	4.68	8.80 3.40 - 9.80	1.682 0.810 - 2.710	7.72	7.39	7.08	99
15+15+15+60	1.15	1.15	1.15	5.35	8.80 3.40 - 9.80	1.682 0.810 - 2.700	7.72	7.39	7.08	99
15+15+18+18	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+18+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.893 0.810 - 2.775	8.69	8.32	7.97	99
15+15+18+22	1.68	1.68	2.18	3.26	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+18+25	1.63	1.63	2.10	3.44	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+18+35	1.56	1.56	2.02	3.67	8.80 3.40 - 10.10	1.786 0.740 - 2.690	8.20	7.84	7.51	99
15+15+18+42	1.36	1.36	1.76	4.32	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+18+50	1.31	1.31	1.70	4.48	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+18+60	1.11	1.11	1.43	5.15	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+20+20	1.70	1.70	2.20	2.20	7.80 3.40 - 10.10	1.991 0.880 - 2.920	9.14	8.75	8.38	99
15+15+20+22	1.68	1.68	2.18	3.26	8.80 3.40 - 10.10	1.893 0.810 - 2.775	8.69	8.32	7.97	99
15+15+20+25	1.63	1.63	2.10	3.44	8.80 3.40 - 10.10	1.893 0.810 - 2.775	8.69	8.32	7.97	99
15+15+20+35	1.56	1.56	2.02	3.67	8.80 3.40 - 10.10	1.884 0.810 - 2.880	8.65	8.27	7.93	99
15+15+20+42	1.36	1.36	1.76	4.32	8.80 3.40 - 10.10	1.884 0.810 - 2.945	8.65	8.27	7.93	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+15+20+50	1.31	1.31	1.70	4.48	8.80 3.40 - 10.10	1.874 0.810 - 2.935	8.60	8.23	7.89	99
15+15+20+60	1.11	1.11	1.43	5.15	8.80 3.40 - 10.10	1.864 0.810 - 2.925	8.56	8.19	7.84	99
15+15+22+22	1.50	1.50	2.90	2.90	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+22+25	1.45	1.45	2.82	3.08	8.80 3.40 - 10.10	1.795 0.740 - 2.630	8.24	7.88	7.56	99
15+15+22+35	1.40	1.40	2.71	3.29	8.80 3.40 - 10.10	1.786 0.740 - 2.780	8.20	7.84	7.51	99
15+15+22+42	1.24	1.24	2.40	3.93	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+22+50	1.20	1.20	2.32	4.08	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+22+60	1.02	1.02	1.99	4.76	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+25+35	1.36	1.36	2.88	3.20	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+25+42	1.21	1.21	2.55	3.83	8.80 3.40 - 10.10	1.786 0.740 - 2.800	8.20	7.84	7.51	99
15+15+25+50	1.17	1.17	2.48	3.99	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+25+60	1.00	1.00	2.13	4.67	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+35+35	1.31	1.31	3.09	3.09	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+35+42	1.17	1.17	2.75	3.71	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+35+50	1.13	1.13	2.67	3.87	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+15+35+60	0.98	0.98	2.30	4.54	8.80 3.40 - 10.10	1.773 0.740 - 2.770	8.14	7.79	7.46	99
15+15+42+42	1.05	1.05	3.35	3.35	8.80 3.40 - 10.10	1.776 0.740 - 2.790	8.15	7.80	7.47	99
15+15+42+50	1.02	1.02	3.25	3.50	8.80 3.40 - 10.10	1.773 0.740 - 2.780	8.14	7.79	7.46	99
15+18+18+18	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+18+20	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+18+18+22	1.59	2.06	2.06	3.09	8.80 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+18+25	1.54	2.00	2.00	3.27	8.80 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+18+35	1.48	1.92	1.92	3.49	8.80 3.40 - 10.40	1.952 0.670 - 2.835	8.96	8.57	8.22	99
15+18+18+42	1.30	1.68	1.68	4.13	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+18+50	1.26	1.63	1.63	4.29	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+18+60	1.07	1.38	1.38	4.97	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+20+20	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	2.158 0.810 - 3.000	9.91	9.48	9.08	99
15+18+20+22	1.59	2.06	2.06	3.09	8.80 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+18+20+25	1.54	2.00	2.00	3.27	8.80 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+18+20+35	1.48	1.92	1.92	3.49	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+18+20+42	1.30	1.68	1.68	4.13	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+18+20+50	1.26	1.63	1.63	4.29	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+18+20+60	1.07	1.38	1.38	4.97	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+18+22+22	1.42	1.84	2.77	2.77	8.80 3.40 - 10.40	1.962 0.670 - 2.710	9.01	8.62	8.26	99
15+18+22+35	1.34	1.73	2.59	3.14	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+22+42	1.19	1.54	2.30	3.77	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+22+50	1.15	1.49	2.23	3.93	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+22+60	0.99	1.28	1.92	4.60	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+25+25	1.35	1.74	2.85	2.85	8.80 3.40 - 10.40	1.962 0.670 - 2.780	9.01	8.62	8.26	99
15+18+25+35	1.30	1.68	2.75	3.06	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+25+42	1.16	1.50	2.46	3.68	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+18+25+50	1.12	1.46	2.38	3.84	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
15+18+25+60	0.97	1.26	2.06	4.51	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+35+35	1.26	1.63	2.96	2.96	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+35+42	1.12	1.46	2.65	3.57	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+35+50	1.09	1.41	2.57	3.73	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+18+42+42	1.02	1.32	3.23	3.23	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+18+42+50	0.99	1.28	3.15	3.38	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+20+20+20	1.70	2.20	2.20	2.20	8.30 3.40 - 10.40	2.256 0.880 - 3.145	10.36	9.91	9.49	99
15+20+20+22	1.59	2.06	2.06	3.09	8.80 3.40 - 10.40	2.158 0.810 - 3.000	9.91	9.48	9.08	99
15+20+20+35	1.48	1.92	1.92	3.49	8.80 3.40 - 10.40	2.148 0.810 - 3.170	9.86	9.43	9.04	99
15+20+20+42	1.30	1.68	1.68	4.13	8.80 3.40 - 10.40	2.148 0.810 - 3.170	9.86	9.43	9.04	99
15+20+20+50	1.26	1.63	1.63	4.29	8.80 3.40 - 10.40	2.138 0.810 - 3.160	9.82	9.39	9.00	99
15+20+20+60	1.07	1.38	1.38	4.97	8.80 3.40 - 10.40	2.129 0.810 - 3.150	9.77	9.35	8.96	99
15+20+22+22	1.42	1.84	2.77	2.77	8.80 3.40 - 10.40	2.060 0.740 - 2.855	9.46	9.05	8.67	99
15+20+22+25	1.39	1.79	2.69	2.93	8.80 3.40 - 10.40	2.060 0.740 - 2.900	9.46	9.05	8.67	99
15+20+22+35	1.34	1.73	2.59	3.14	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+22+42	1.19	1.54	2.30	3.77	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+22+50	1.15	1.49	2.23	3.93	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+22+60	0.99	1.28	1.92	4.60	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+20+25+25	1.35	1.74	2.85	2.85	8.80 3.40 - 10.40	2.060 0.740 - 2.970	9.46	9.05	8.67	99
15+20+25+35	1.30	1.68	2.75	3.06	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+25+42	1.16	1.50	2.46	3.68	8.80 3.40 - 10.40	2.050 0.740 - 3.025	9.41	9.00	8.63	99
15+20+25+50	1.12	1.46	2.38	3.84	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+25+60	0.97	1.26	2.06	4.51	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+20+35+35	1.26	1.63	2.96	2.96	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+35+42	1.12	1.46	2.65	3.57	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+20+35+50	1.09	1.41	2.57	3.73	8.80 3.40 - 10.40	2.031 0.740 - 3.005	9.32	8.92	8.55	99
15+20+42+42	1.02	1.32	3.23	3.23	8.80 3.40 - 10.40	2.040 0.740 - 3.015	9.37	8.96	8.59	99
15+22+22+22	1.29	2.50	2.50	2.50	8.80 3.40 - 10.40	1.962 0.670 - 2.735	9.01	8.62	8.26	99
15+22+22+25	1.26	2.44	2.44	2.66	8.80 3.40 - 10.40	1.962 0.670 - 2.800	9.01	8.62	8.26	99
15+22+22+35	1.22	2.36	2.36	2.86	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+22+42	1.09	2.12	2.12	3.47	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+22+50	1.06	2.06	2.06	3.62	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+22+60	0.92	1.79	1.79	4.29	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+22+25+25	1.23	2.38	2.60	2.60	8.80 3.40 - 10.40	1.962 0.670 - 2.870	9.01	8.62	8.26	99
15+22+25+35	1.19	2.30	2.51	2.79	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+25+42	1.07	2.07	2.26	3.39	8.80 3.40 - 10.40	1.952 0.670 - 2.880	8.96	8.57	8.22	99
15+22+25+50	1.04	2.02	2.20	3.54	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+25+60	0.91	1.76	1.92	4.21	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+22+35+35	1.15	2.23	2.71	2.71	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+35+42	1.04	2.02	2.44	3.30	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99
15+22+35+50	1.01	1.96	2.38	3.45	8.80 3.40 - 10.40	1.933 0.670 - 2.860	8.87	8.49	8.13	99
15+22+42+42	0.95	1.84	3.01	3.01	8.80 3.40 - 10.40	1.942 0.670 - 2.870	8.92	8.53	8.17	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)	
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240		
15+25+25+25	1.20	2.53	2.53	2.53	8.80 3.40 - 10.40	1.962 - 2.890	0.670	9.01	8.62	8.26	99
15+25+25+35	1.16	2.46	2.46	2.73	8.80 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+25+25+42	1.05	2.22	2.22	3.32	8.80 3.40 - 10.40	1.952 - 2.880	0.670	8.96	8.57	8.22	99
15+25+25+50	1.02	2.16	2.16	3.47	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+25+60	0.89	1.89	1.89	4.14	8.80 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+25+35+35	1.12	2.38	2.65	2.65	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+35+42	1.02	2.16	2.39	3.23	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+25+35+50	0.99	2.10	2.33	3.38	8.80 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
15+25+42+42	0.93	1.97	2.95	2.95	8.80 3.40 - 10.40	1.942 - 2.870	0.670	8.92	8.53	8.17	99
15+35+35+35	1.09	2.57	2.57	2.57	8.80 3.40 - 10.40	1.933 - 2.860	0.670	8.87	8.49	8.13	99
18+18+18+18	2.20	2.20	2.20	2.20	8.80 3.40 - 11.00	1.754 - 2.790	0.600	8.05	7.70	7.38	99
18+18+18+20	2.20	2.20	2.20	2.20	8.80 3.40 - 10.70	2.227 - 2.935	0.670	10.22	9.78	9.37	99
18+18+18+22	1.96	1.96	1.96	2.93	8.80 3.40 - 11.00	2.129 - 2.790	0.600	9.77	9.35	8.96	99
18+18+18+25	1.90	1.90	1.90	3.11	8.80 3.40 - 11.00	2.000 - 2.790	0.600	9.18	8.78	8.42	99
18+18+18+35	1.83	1.83	1.83	3.32	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+18+42	1.61	1.61	1.61	3.96	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+18+50	1.56	1.56	1.56	4.12	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+18+60	1.34	1.34	1.34	4.79	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+20+20	2.20	2.20	2.20	2.20	8.80 3.40 - 10.70	2.325 - 3.080	0.740	10.67	10.21	9.78	99
18+18+20+22	1.96	1.96	1.96	2.93	8.80 3.40 - 10.70	2.227 - 2.935	0.670	10.22	9.78	9.37	99
18+18+20+25	1.90	1.90	1.90	3.11	8.80 3.40 - 10.70	2.227 - 2.960	0.670	10.22	9.78	9.37	99
18+18+20+35	1.83	1.83	1.83	3.32	8.80 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+18+20+42	1.61	1.61	1.61	3.96	8.80 3.40 - 10.70	2.217 - 3.105	0.670	10.18	9.74	9.33	99
18+18+20+50	1.56	1.56	1.56	4.12	8.80 3.40 - 10.70	2.207 - 3.095	0.670	10.13	9.69	9.29	99
18+18+20+60	1.34	1.34	1.34	4.79	8.80 3.40 - 10.70	2.197 - 3.085	0.670	10.09	9.65	9.25	99
18+18+22+25	1.71	1.71	2.57	2.80	8.80 3.40 - 11.00	2.129 - 2.860	0.600	9.77	9.35	8.96	99
18+18+22+35	1.65	1.65	2.48	3.01	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+22+42	1.48	1.48	2.22	3.63	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+22+50	1.43	1.43	2.15	3.78	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+22+60	1.24	1.24	1.86	4.46	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+25+25	1.67	1.67	2.73	2.73	8.80 3.40 - 11.00	2.129 - 2.925	0.600	9.77	9.35	8.96	99
18+18+25+35	1.61	1.61	2.64	2.93	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+25+42	1.44	1.44	2.36	3.55	8.80 3.40 - 11.00	2.119 - 2.960	0.600	9.73	9.31	8.92	99
18+18+25+50	1.40	1.40	2.30	3.70	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+25+60	1.22	1.22	1.99	4.37	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+35+35	1.56	1.56	2.84	2.84	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+35+42	1.40	1.40	2.55	3.44	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+18+35+50	1.36	1.36	2.48	3.59	8.80 3.40 - 11.00	2.099 - 2.940	0.600	9.64	9.22	8.83	99
18+18+42+42	1.27	1.27	3.13	3.13	8.80 3.40 - 11.00	2.109 - 2.950	0.600	9.68	9.26	8.88	99
18+20+20+20	2.20	2.20	2.20	2.20	8.80 3.40 - 10.70	2.423 - 3.225	0.810	11.12	10.64	10.20	99
18+20+20+25	1.90	1.90	1.90	3.11	8.80 3.40 - 10.70	2.325 - 3.150	0.740	10.67	10.21	9.78	99
18+20+20+35	1.83	1.83	1.83	3.32	8.80 3.40 - 10.70	2.315 - 3.250	0.740	10.63	10.17	9.74	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
18+20+20+42	1.61	1.61	1.61	3.96	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
18+20+20+50	1.56	1.56	1.56	4.12	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
18+20+20+60	1.34	1.34	1.34	4.79	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
18+20+22+22	1.76	1.76	2.64	2.64	8.80 3.40 - 10.70	2.227 0.670 - 2.980	10.22	9.78	9.37	99
18+20+22+25	1.71	1.71	2.57	2.80	8.80 3.40 - 10.70	2.227 0.670 - 3.050	10.22	9.78	9.37	99
18+20+22+35	1.65	1.65	2.48	3.01	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+22+42	1.48	1.48	2.22	3.63	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+22+50	1.43	1.43	2.15	3.78	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+22+60	1.24	1.24	1.86	4.46	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
18+20+25+25	1.67	1.67	2.73	2.73	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
18+20+25+35	1.61	1.61	2.64	2.93	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+25+42	1.44	1.44	2.36	3.55	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
18+20+25+50	1.40	1.40	2.30	3.70	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+25+60	1.22	1.22	1.99	4.37	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
18+20+35+35	1.56	1.56	2.84	2.84	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+35+42	1.40	1.40	2.55	3.44	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+20+35+50	1.36	1.36	2.48	3.59	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
18+20+42+42	1.27	1.27	3.13	3.13	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
18+22+22+22	1.60	2.40	2.40	2.40	8.80 3.40 - 11.00	2.129 0.600 - 2.880	9.77	9.35	8.96	99
18+22+22+25	1.56	2.34	2.34	2.55	8.80 3.40 - 11.00	2.129 0.600 - 2.950	9.77	9.35	8.96	99
18+22+22+35	1.51	2.27	2.27	2.75	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+22+42	1.36	2.05	2.05	3.35	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+22+50	1.33	1.99	1.99	3.50	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+22+60	1.16	1.74	1.74	4.16	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
18+22+25+25	1.52	2.29	2.49	2.49	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
18+22+25+35	1.48	2.22	2.42	2.69	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+25+42	1.34	2.00	2.18	3.28	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+22+25+50	1.30	1.95	2.13	3.43	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+25+60	1.14	1.71	1.86	4.09	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
18+22+35+35	1.43	2.15	2.61	2.61	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+35+42	1.30	1.95	2.36	3.19	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+22+35+50	1.27	1.90	2.30	3.34	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
18+22+42+42	1.19	1.78	2.92	2.92	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+25+25+25	1.49	2.44	2.44	2.44	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
18+25+25+35	1.44	2.36	2.36	2.63	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+25+25+42	1.31	2.14	2.14	3.21	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
18+25+25+50	1.27	2.08	2.08	3.36	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+25+35+35	1.40	2.30	2.55	2.55	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+25+35+42	1.27	2.08	2.32	3.13	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
18+35+35+35	1.36	2.48	2.48	2.48	8.80 3.40 - 11.00	2.099 0.600 - 2.940	9.64	9.22	8.83	99
20+20+20+22	1.96	1.96	1.96	2.93	8.80 3.40 - 10.70	2.423 0.810 - 3.270	11.12	10.64	10.20	99
20+20+20+25	1.90	1.90	1.90	3.11	8.80 3.40 - 10.70	2.423 0.810 - 3.340	11.12	10.64	10.20	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)				Total	Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D			220	230	240	
20+20+20+35	1.83	1.83	1.83	3.32	8.80 3.40 - 10.70	2.413 0.810 - 3.395	11.08	10.60	10.15	99
20+20+20+42	1.61	1.61	1.61	3.96	8.80 3.40 - 10.70	2.413 0.810 - 3.395	11.08	10.60	10.15	99
20+20+20+50	1.56	1.56	1.56	4.12	8.80 3.40 - 10.70	2.403 0.810 - 3.385	11.03	10.55	10.11	99
20+20+20+60	1.34	1.34	1.34	4.79	8.80 3.40 - 10.70	2.393 0.810 - 3.375	10.99	10.51	10.07	99
20+20+22+22	1.76	1.76	2.64	2.64	8.80 3.40 - 10.70	2.325 0.740 - 3.170	10.67	10.21	9.78	99
20+20+22+25	1.71	1.71	2.57	2.80	8.80 3.40 - 10.70	2.325 0.740 - 3.240	10.67	10.21	9.78	99
20+20+22+35	1.65	1.65	2.48	3.01	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+22+42	1.48	1.48	2.22	3.63	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+22+50	1.43	1.43	2.15	3.78	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+22+60	1.24	1.24	1.86	4.46	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
20+20+25+25	1.67	1.67	2.73	2.73	8.80 3.40 - 10.70	2.325 0.740 - 3.260	10.67	10.21	9.78	99
20+20+25+35	1.61	1.61	2.64	2.93	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+25+42	1.44	1.44	2.36	3.55	8.80 3.40 - 10.70	2.315 0.740 - 3.250	10.63	10.17	9.74	99
20+20+25+50	1.40	1.40	2.30	3.70	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+25+60	1.22	1.22	1.99	4.37	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
20+20+35+35	1.56	1.56	2.84	2.84	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+35+42	1.40	1.40	2.55	3.44	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+20+35+50	1.36	1.36	2.48	3.59	8.80 3.40 - 10.70	2.295 0.740 - 3.230	10.54	10.08	9.66	99
20+20+42+42	1.27	1.27	3.13	3.13	8.80 3.40 - 10.70	2.305 0.740 - 3.240	10.58	10.12	9.70	99
20+22+22+22	1.60	2.40	2.40	2.40	8.80 3.40 - 10.70	2.227 0.670 - 3.070	10.22	9.78	9.37	99
20+22+22+25	1.56	2.34	2.34	2.55	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
20+22+22+35	1.51	2.27	2.27	2.75	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+22+42	1.36	2.05	2.05	3.35	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+22+50	1.33	1.99	1.99	3.50	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+22+22+60	1.16	1.74	1.74	4.16	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
20+22+25+25	1.52	2.29	2.49	2.49	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
20+22+25+35	1.48	2.22	2.42	2.69	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+25+42	1.34	2.00	2.18	3.28	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+22+25+50	1.30	1.95	2.13	3.43	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+22+35+35	1.43	2.15	2.61	2.61	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+22+35+42	1.30	1.95	2.36	3.19	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+25+25+25	1.49	2.44	2.44	2.44	8.80 3.40 - 10.70	2.227 0.670 - 3.115	10.22	9.78	9.37	99
20+25+25+35	1.44	2.36	2.36	2.63	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+25+25+42	1.31	2.14	2.14	3.21	8.80 3.40 - 10.70	2.217 0.670 - 3.105	10.18	9.74	9.33	99
20+25+25+50	1.27	2.08	2.08	3.36	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+25+35+35	1.40	2.30	2.55	2.55	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+25+35+42	1.27	2.08	2.32	3.13	8.80 3.40 - 10.70	2.207 0.670 - 3.095	10.13	9.69	9.29	99
20+35+35+35	1.36	2.48	2.48	2.48	8.80 3.40 - 10.70	2.197 0.670 - 3.085	10.09	9.65	9.25	99
22+22+22+22	2.20	2.20	2.20	2.20	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+22+22+25	2.15	2.15	2.15	2.35	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+22+22+35	2.09	2.09	2.09	2.53	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+22+22+42	1.90	1.90	1.90	3.11	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99

MXZ-4F80VF2 HEATING

Indoor units combination	Heating capacity (kW)					Outdoor unit power consumption(kW)	Current (A)			Power factor(%)
	Unit A	Unit B	Unit C	Unit D	Total		220	230	240	
22+22+22+50	1.85	1.85	1.85	3.25	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+22+25+25	2.10	2.10	2.30	2.30	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+22+25+35	2.05	2.05	2.23	2.48	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+22+25+42	1.86	1.86	2.03	3.05	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+22+25+50	1.82	1.82	1.98	3.19	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+22+35+35	1.99	1.99	2.41	2.41	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+22+35+42	1.82	1.82	2.20	2.97	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+25+25+25	2.06	2.25	2.25	2.25	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
22+25+25+35	2.00	2.18	2.18	2.43	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+25+25+42	1.83	1.99	1.99	2.99	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
22+25+25+50	1.78	1.94	1.94	3.13	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+25+35+35	1.95	2.13	2.36	2.36	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
22+25+35+42	1.78	1.94	2.16	2.92	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
25+25+25+25	2.20	2.20	2.20	2.20	8.80 3.40 - 11.00	2.129 0.600 - 2.970	9.77	9.35	8.96	99
25+25+25+35	2.14	2.14	2.14	2.38	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
25+25+25+42	1.96	1.96	1.96	2.93	8.80 3.40 - 11.00	2.119 0.600 - 2.960	9.73	9.31	8.92	99
25+25+25+50	1.91	1.91	1.91	3.07	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99
25+25+35+35	2.08	2.08	2.32	2.32	8.80 3.40 - 11.00	2.109 0.600 - 2.950	9.68	9.26	8.88	99